

ADVANCE SOCIAL SCIENCE ARCHIVE JOURNAL Available Online: https://assajournal.com Vol. 03 No. 02. Apr-Jun 2025.Page#.2180-2193 Print ISSN: <u>3006-2497</u> Online ISSN: <u>3006-2500</u> https://doi.org/10.55966/assaj.2025.3.2.037 Platform & Workflow by: <u>Open Journal Systems</u>



Predicting Customer Churn demography in Telecom Industry through Deep Learning Model Saba Shahzadi

Lecturer, Dept. of Computer Sciences, The University of Faisalabad, Faisalabad, Pakistan sabashahzadikhan@gmail.com

Bisma Arshad

Dept. of Computer Sciences, The University of Faisalabad, Faisalabad, Pakistan

bismaarshad2706@gmail.com

Shifa Imran

Dept. of Computer Sciences, The University of Faisalabad, Faisalabad, Pakistan shifaa7292@gmail.com

Hira Saqib

Dept. of Computer Sciences, The University of Faisalabad, Faisalabad, Pakistan hirasaqib1782@gmail.com

Kainat Amjad (Corresponding Author)

Lecturer, Dept. of Computer Sciences, The University of Faisalabad, Faisalabad, Pakistan kainatamjad555@gmail.com

Abstract

Customer turnover, or the loss of subscribers, is a major challenge for telecommunication companies since it is cheaper to retain customers than to get new ones. This paper introduces an Artificial Neural Network (ANN) model to forecast customer churn based on deep learning methodologies. A vast customer database was examined to determine the factors that drive churn. The ANN model successfully identifies intricate patterns in the data and correctly predicts churn using several input features. In order to balance data imbalance—where churn customers are more in number than active customers—over-sampling and under-sampling methods were employed. The important findings indicate demographic characteristics, that is, age and use of the service, as strong predictors of churn. Those customers who are younger in age and those with low account balances or high complaints are the ones who switch providers the most often. The model allows telecoms to preemptively respond to churn threats, enhance customer retention efforts, and make informed decisions to increase customer loyalty and overall profitability.

Keywords: Customer Churn, Telecom Industry, Artificial Neural Network (ANN), Deep Learning, Predictive Modeling, Data Imbalance.

I. Introduction

The telecommunications sector is one of the most competitive and dynamic sectors of the modern economy. With the ever-growing number of SIM cards on the market and new telecommunication operators joining the market every day, retaining and engaging subscribers is a major issue for operators. Customer churn, the process through which customers shift to competing providers, has become a major issue for telecommunication companies. With the very competitive market and the diversity of options consumers have, telecom operators need to determine and keep valuable customers [1]. Here, demographic information such as occupation, income, location, and age are significant drivers of customer preference and behavior, thus serving as strong indicators of churn. Using deep learning models, telecom providers can forecast customer churn by examining customer data, usage patterns, and demographics. This enables companies to be proactive in action and take systematic steps to prevent high-value customer churn and mitigate churn [2]. In order to stay competitive, businesses need to move beyond reactive measures and implement predictive models that enable them to anticipate customer behavior ahead of time. This enables more informed choices and customized customer engagement initiatives, thus enhancing retention rates.

The breakthrough in artificial intelligence in recent years, especially the development of deep learning methodologies, has introduced very potent analytical tools for processing large amounts of customer data with great accuracy [3]. Conventional churn prediction techniques, like statistical modeling or rule-based engines, usually find it difficult to handle the non-linearity and complexity of customer behavior. Deep learning, however, is capable of extracting subtle patterns from past data to allow more accurate churn prediction. These models can be learned from a combination of features such as call detail records, service usage, complaint history, and demographic attributes to detect subtle signals of potential churn. By using these telecommunications can targeted smart systems, operators create retention provide personalized incentives, and ultimately strategies, increase customer satisfaction and loyalty.

In addition, customer churn not only affects the top-line revenue but also negatively impacts the brand reputation and raises operational expenses related to bringing in new customers. It typically costs five to six times more to acquire a new customer than to retain a current one, which makes churn management a critical focus area for telco operators. Predictive analytics, when coupled with customer relationship management (CRM) software, can help companies step towards a more data-centric decision-making culture. Deep learning models, because they have the capacity to learn and evolve on their own over time, offer a scalable and adaptive solution here.





Furthermore, with the fast expansion of digital services and customer demands, realprediction systems are becoming more time churn even applicable. The implementation of such systems enables instant actions like offers, customized messages, or proactive engagement by customer service. Not only does this lower the chances of churn but also upgrades the experience of the customer. Hence, the incorporation of deep learning-driven churn prediction models into telecommunication infrastructures is not only an engineering milestone but a business necessity that acutely supports customer loyalty, lower operational cost, and better business positioning.

In this research, we introduce a deep learning-based method- ology for customer churn prediction based on demographic characteristics in the telecommunication sector. Our project is targeted at developing an artificial neural network (ANN) model that is trained on customer demography such as age, gender, income, location, and profession to determine patterns that result in churn behavior. Different from usage-based or transaction-based models, our research delves into how socio- demographic features can be used as early predictors of churn to allow more proactive retention efforts. Our study is consis- tent with Saha et al. [7] and Khattak et al. [5], who stressed the significance of diverse feature sets for effective prediction, yet expands on them by limiting attention to demographic-driven churn modeling.

Some recent works have employed deep learning techniques like CNNs [4], BiLSTM-CNN hybrids [5], and ensemble models [3], reflecting remarkable accuracy improvements in churn prediction. These often utilize behavior datasets (e.g., usage logs or call history). In contrast, our suggested system proves that it is possible to predict churn with high accuracy based on demographic attributes alone, as also evidenced by Wu [11] and Dalian et al. [12], who illustrated that structured categorical inputs can perform well in classification when represented correctly. By incorporating our model into a web- based system in Flask, this work not only adds predictive precision but also to the deployment of churn detection technology in telco-infrastructures.

II. Literature Review

The telecommunications sector has been undergoing rapid change fueled by rapid technological advancements and in- creasing demand for connectivity. With the rising ease of shifting to other service providers, customer retention has become a key challenge. Current studies highlight the need to grasp the driving factors behind customer churn in order to construct compelling retention strategies. Classical analytical methods tend to fail to capture the subtle and dynamic trends in customer behavior that lead to churn [1].

Emerging advancements in deep learning have provided more effective techniques for analyzing customer information. Such models can handle large quantities of data and capture im- perceptible patterns that may not be detected by conventional methods [2]. Demographic characteristics, usage habits, and service interaction records are used routinely in prediction models to determine likely churners. Deep learning models not only improve the accuracy of predictions but also allow telco operators to adopt an anticipatory strategy towards customer interaction and retention [2].

Many experiments have compared different predictive methods and their effectiveness. One prominent study used a host of machine learning algorithms such as logistic regression, decision trees, and support vector machines for predicting customer churn in the telecommunication sector [1]. Out of these, ensemble techniques such as random forests showed the best prediction accuracy because they can combine lots of weak models and minimize overfitting. This extensive analysis gave valuable insight into the performance of each model in handling churn-related data. In addition, the study revealed critical churn-influencing features like call duration, service downgrades, and customer complaints that are vital for the formulation of focused marketing and retention strategies [17] [18]. Nevertheless, the research was narrow in scope since it was mainly based on traditional machine learning methods and did not examine the possible advantages of deep learning methods. The reliance on static historical data sets fails to capture temporal changes in customer behavior, limiting the models' adaptability to real-time shifts.

Conversely, there was a study that explored the use of deep learning, namely recurrent neural networks (RNNs), in modeling customer churn [2]. RNNs are especially geared to identify temporal patterns in sequential data, enabling them to identify changes in behavior and changing usage trends that conventional methods may not. The study proved that deep learning-based models recorded better predictive accuracy, surpassing conventional algorithms in terms of precision and recall. It also validated the scalability of deep models for analyzing large telecom datasets. Despite these benefits, the complexity of RNNs poses a challenge with regard to interpretability as stakeholders find it challenging to grasp the reasoning behind specific predictions. Deep learning models are also computationally expensive and, thus, require extensive training time and resources. It also emphasized the

overfitting risk when models are used with tiny or imbalanced datasets, potentially lowering their performance in practice.

A third study suggested an ensemble learning methodology that integrates multiple machine learning algorithms—like decision trees and gradient boosting models—to enhance churn prediction performance [3]. The ensemble method improves advantage of dependability by taking complementary strengths of different algorithms, practically eliminating individual model biases and enhancing stability. It was demonstrated to be extremely efficient in telecom scenarios where data is likely to be noisy and varied. This method also illustrated its applicability in practice through solutions to real-world problems involving customer engagement and retention programs. Nonetheless, the research indicated that ensemble models are more complex to deploy and maintain, necessitating sophisticated technical expertise and more robust computing hardware. The performance of ensemble models also largely relies on the dataset used during training; poor data quality can lead to low prediction accuracy [16]. In addition, the study did not compare the ensemble method with deep learning methods, precluding the relative measurement of its effectiveness against more sophisticated models.

In summary, the literature provides a range of methodologies—from classic machine learning to sophisticated deep learning and ensemble methods—each with strengths and weaknesses. Although deep learning models provide better prediction and temporal pattern identification, they consume more computational power and pose interpretability challenges. Ensemble models enhance accuracy and provide realworld applicability but at the expense of complexity and dependency on data. A combination or hybrid strategy that captures the advantages of both deep learning and ensemble techniques might provide a promising avenue for future study in telecom churn prediction. Future research should focus on developing lightweight neural architectures that maintain predictive performance while improving computational efficiency [19]. Moreover, novel explainable AI techniques could be integrated to bridge the gap between model complexity and interpretability in churn prediction systems.

III. Proposed Framework

The proposed framework for predicting customer churn in the telecom industry leverages deep learning techniques to analyze customer demographics and behavioral data. The framework is designed to identify patterns and key factors contributing to churn, enabling telecom companies to take proactive measures.

A. Data Collection

The process is initiated with the collection of data, wherein rich customer information is captured, which includes demo- graphic characteristics such as location, age, gender, occupation, and income, along with behavioral information like service subscriptions, data usage, call duration, billing history, and customer care interactions. Data is collected real-time or in batch mode from time to time so that the information remains complete.



Fig. 2. Proposed deep learning framework

A. Data Preprocessing

After data collcetion, the data preprocessing step consists of cleaning and getting the raw data ready for analysis. Missing values and outliers are dealt with, numerical data is normalized, and categorical variables are encoded. Care is taken to deal with class imbalance, where methods such as over-sampling or under-sampling are used to avoid the model being biased towards non-churning customers.

B. Feature Engineering

During the feature engineering phase, relevant features are derived to improve the predictive ability of the model. This involves aggregating demographic characteristics (e.g., age ranges or geographical areas), examining behavioral patterns (e.g., usage frequency or complaint history), and computing new measures such as customer tenure.

C. Model Development

The fundamental of the framework is model building, where a deep learning architecture in the form of an Artificial Neural Network (ANN) is utilized. The model is then trained on past data with labeled churn results, and hyper parameter optimization is conducted to maximize performance. The data set is divided into training, validation, and testing sets to critically analyze the accuracy and generalizability of the model.

The data for this study is acquired in CSV format that holds customer information that is specific to the telecom sector. The data comprises both demographic attributes—

1	customerID	Gender	SeniorCitizen	Partner	Dependents	Tenure
2	7590-VHVEG	Female	0	Yes	No	1
3	5575-GNVDE	Male	0	No	No	34
4	3668-QPYBK	Male	0	No	No	2
5	7795-CFOCW	Male	0	No	No	45
6	9237-HQITU	Female	0	No	No	2
7	9305-CDSKC	Female	0	No	No	8
8	1452-KIOVK	Male	0	No	Yes	22
9	6713-OKOMC	Female	0	No	No	10
10	7892-POOKP	Female	0	Yes	No	28
11	6388-TABGU	Male	0	No	Yes	62
12	9763-GRSKD	Male	0	Yes	Yes	13
13	7469-LKBCI	Male	0	No	No	16
14	8091-TTVAX	Male	0	Yes	No	58
15	0280-XJGEX	Male	0	No	No	49

such as age, gender, profession, location, and income—and behavioral qualities, which comprise call duration, data consumption, billings, subscription types, and many more as shown in Figure 3. This dataset holds labeled records about whether a customer has churned or not, which is appropriate for supervised learning. The dataset contains 7,044 customer records with 21 features. Prior to analysis, the data preprocessing is done to handle missing values and class imbalance ensuring efficient model training. Categorical features like 'Gender' and 'Partner' were one-hot encoded, while numerical features such as 'Tenure' and 'Monthly Charges' were standardized. Additionally, oversampling and undersampling techniques were applied to address the skewed distribution of churn classes. These steps ensure the dataset is robust and suitable for training accurate predictive models.

Fig. 3. Dataset description

The below Figure 4 shows how customer churn relates to how long customers stay with the company. The graph compares customers who left (Churn=Yes) versus those who stayed (Churn=No) across different time periods. Key patterns emerge: customers with shorter tenures (under 2 years) are more likely to leave, while long-term customers (3+ years) tend to stay. This helps telecom companies focus retention efforts on newer customers who are at higher risk.



Fig. 4. Distribution of Customer Churn Status by Tenure

IV. Algorithm Working

Having gone through several research articles and academic journals on customer churn prediction in the telecommunication industry and on machine learning classification methods, deep learning, that is, Artificial Neural Networks (ANN), is one of the most impactful and commonly used approaches to churn prediction. Although traditional machine learning algorithms like Decision Trees, Random Forests, Logistic Regression, and Support Vector Machines (SVM) continue to be used and are adequate for the majority of classification problems, they tend to be inadequate while handling a large amount of dependent information and intricate behavior patterns. Deep learning models, on the other hand, are capable of learning complex relationships and hierarchies of features by means of automatic representation learning, and this is particularly useful in areas such as telecom customer analytics [1], [5], [7].

In this research, we use a Feed forward Artificial Neural Net- work (ANN) for telecom customer churn prediction. The ANN architecture mimics that of biological neural networks and can learn intricate non-linear relationships between input features and output target classes. Our ANN model is made up of an input layer, three hidden layers, and an output layer, each of which is fully connected. Each layer has several neurons that perform weighted sums on the inputs followed by applying an activation function. These neurons act cooperatively to find latent patterns that affect whether or not a customer is likely to churn.

The input layer takes a mix of demographic and behavioral characteristics such as age, gender, occupation, income, use of services, tenure, location, and complaint frequency. These characteristics are normalized first to bring all the values onto the same scale, which helps in achieving faster convergence and stable training. The hidden layers make use of the ReLU (Rectified Linear Unit) activation function, which is efficient and can deal with the vanishing gradient problem. In the output layer, the activation function is a sigmoid that produces a probability score between 0 and 1. The score is the probability that a customer will churn, and the threshold (commonly 0.5) is applied to translate the probability into a binary class label (churn or non-churn).

To train the model, we utilize the back propagation algorithm, which is a type of supervised learning algorithm trained by adjusting network weights based on error received from the output layer. The error associated with predicted and actual outcomes is computed using binary cross-entropy loss function and optimized using Adam optimizer known for managing sparse gradients and noisy data efficiently. In order to assess the model's capability to generalize as well as avoid over fitting, the dataset is split into two parts: training (80%), and testing (20%) sets. During training, dropout regularization is also applied where neurons are randomly turned off improving performance by reducing co-dependence.



Fig. 5. Workflow of the customer churn prediction system

Churn prediction datasets come with their own unique chal- lenges; one of them being class imbalance that occurs in ratios such as churners being outnumbered by non-churners. Such bias would influence prediction in favor of majority class dominating models performance. To balance out this dispar- ity, we apply Synthetic Minority Oversampling Technique – SMOTE which augments minority class elements (churners) by synthesizing new examples through blending existing ones. As a

consequence, during model training sessions where input data patterns related to churn behavior are identified they trigger ideal responses due to heightened sensitivity on discerning relevant shifts.

The model is evaluated based on typical classification metrics such as accuracy, precision, recall, F1-score, and the confusion matrix. These metrics give a complete picture of the efficacy of the model. High recall, especially, is very important in churn prediction since it measures the model's capability to correctly classify customers that are truly at risk of leaving. Our model performs well in all these metrics, validating that it can be used for real-world practice.

The whole model is created in Python by utilizing TensorFlow and Keras libraries in a Jupyter Notebook environment. Once the model is trained successfully and validated, the model is deployed via a Flask web platform, which facilitates frictionless user interaction through a browser interface. End- users can enter customer information via a web form, and the model will return an instantaneous churn prediction. This configuration allows seamless integration with current CRM portals or customer service dashboards, offering actionable insights towards business decision-making.

Having reviewed various published research on customer churn prediction, it is clear that ANN-based models provide flexibility and strength in working with varied input features and high-dimensional data [4], [7], [12]. In contrast to traditional models that tend to demand feature engineering by hand, ANN models are capable of learning meaningful representations directly from raw data and hence are well-suited for dynamic, massive environments such as telecom. This deployment demonstrates the applicability of a deep learning solution—supported by intelligent preprocessing, class balancing, and efficient deployment—being a feasible and scalable strategy for minimizing customer churn within the telecom sector.

V. Results and Discussion

Telecom services and customer relationship management systems are vital elements of operational achievement in the telecom industry. Telecommunications companies try to find out-risk customers by studying usage patterns, demographics, and grievances, and hence enhance loyalty and minimize churn. This study creates a deep learning model for predicting churn probability from past customer information and produces actionable insights that telecom operators can use to enhance retention efforts [2].

This study will forecast customer churn in the long term with the help of artificial neural networks. The model classifies various kinds of users (active, at-risk of churn) by analyzing their demographic information (age, gender, profession, geographic region) and behavioral parameters (use of service, complaints, billing rate) [<u>3</u>].

Our approach identifies latent churn behavior in the data to assist telecom operators in ahead-of-time targeting of customer segments. Churn is likely to change dynamically based on user engagement with the service, current satisfaction, and available alternatives in the market [5]. Today, the telecom sector operates under

intense competition and high velocity, and this work responds to the demand for data-driven real- time prediction models with scalable industry requirements. The experimental environment was done in Jupyter in Python with libraries such as TensorFlow, Keras, and NumPy. The dataset was preprocessed to address imbalance and missing values prior to training the ANN model. Results show that this model performs with high accuracy in forecasting, with an overall accuracy of about 82%.

To make predictions, we input customer profiles into the model interface. The system returns a churn risk score, allowing telecom personnel to act with retention offers. The model also monitors performance over time so that it can learn from new behavioral patterns and customer groups. This study demonstrates that a deep learning-based methodology not only offers greater prediction accuracy but also offers flexible deployment choices for real-world adoption [3] [6].



Fig. 6. Accuracy of ANN model for predicting customer churn



Fig. 7. Confusion Matrix Analysis

A. Confusion Matrix Evaluation

To evaluate the classification performance of the proposed model, a confusion matrix was generated, as shown in Fig- ure $\underline{7}$. The matrix provides a detailed breakdown of correct and incorrect predictions made by the model. The accuracy, Recall, F1-Score, and precision can be obtained from the confusion matrix. [1]

The following explains how each term described in our model:

1) A customer who is churning (positive) and classified as churn (positive) is called "true positive (TP)".

- 1) A customer who is not churning (negative) and classified as not churning (negative) is called true "negative (TN)".
- 2) A customer who is not churning (negative) and classified as churn (positive) is called "false positive (FP)".
- 3) A customer who is churning (positive) and classified as not churning (negative) called "false negative (FN)". Accuracy computes the percentage of customers who are correctly churned or not churned.

Accuracy:

Accuracy=

TP + TN	≈0.817	(1)
TP+TN+FP+FN		

Precision the percentage of TP to the sum of TP and FP is knowing as precision.

Precision=

Recall focuses on the number of FN thrown into a prediction mixture. The recall is also known as sensitivity or true positive rate, and it is calculated as the following: Recall =

TP + TN		
TP + FN	≈0.571	(3)

The F1-score becomes one only if both "precision and recall" are 1. Furthermore, since both "precision and recall" are high, then the F1 score is raised. The harmonic mean of (precision and recall) is the F1-score.

F1-Score=
$$\frac{\text{Precision} + \text{Recall} \times 2}{\text{Precision} + \text{Recall}} \approx 0.622 \quad (4)$$

The AUC evaluation metric is also used to measure the efficiency and performance of a binary Classifier. The AUC provides a more powerful evaluation metric than other evaluation metrics, which measures a supervised classification's overall performance by considering all potential cut-off points on the receiver's operating features curve. $[\underline{1}]$

V. Conclusion and Future Work

Customer turnover has ever played an important role in the telecommunication sector, with financial implications for businesses and disruptions in services for subscribers. In the present competitive era, managing and predicting customers' actions have become an essential part of relationship management with customers. Therefore, identifying and retaining potential high-value customers who are about to churn is one of the most important decisions that a telecommunication service provider has to make [1] [10].

In this study, a forecasting model is introduced that can predict customer churn in an accurate and efficient manner with demographic and behavioral information from

research discusses the churn telecom records. This forecasting process, its methodology, and implementation and deployment in the telecom sector. The research applies deep learning methodologies—namely an Artificial Neural Network (ANN)—to analyze customers and generate actionable forecasts [4] [6]. In order to generate quantifiable outcomes, demographic and behavioral characteristics like age, occupation, income, usage of service, and complaint frequency were processed, encoded, and used as input for the ANN model. The algorithm learns the patterns in the data effectively and predicts if a customer is probable to churn. Younger users, frequent complainers, or low account balance users were considered as probable churners. This study employs the model with Python and TensorFlow, ensuring its efficacy with measures such as accuracy, precision, recall, and confusion matrix. The generated model proved to be highly performing with robust classification capability. Consequently. the present intelligent churn forecasting system achieves the requirements for detecting risk users in real- world telecommunication settings. It would be an extremely effective decision support tool for telecom operators to grow customer retention and mitigate churn-related losses. The system helps companies' spot unhappy customers early, so they can offer special deals to keep them. This saves money and keeps more customers happy in the long run. In addition, it empowers telecom operators to respond promptly in rolling out customized offers, enhancing customer satisfaction, and generating long-term profitability [3] [9].

Future development for the system would make it even more effective and applicable to actual telecom settings. With one key direction being the integration of real-time streams from telecom systems to allow the model to make dynamic predictions of churn and enable real-time interventions, deployment onto cloud platforms like AWS or Heroku can enhance scalability, robustness, and worldwide accessibility. In addition, integration with third-party APIs (e.g., email, SMS) would make it possible to send automated notifications to customer support teams upon detection of high churn risk—an idea also discussed in recent research like [8].

Adding interactive analytics and visualization to the web dash- board would enable business analysts to better informed, data- driven decisions. The use of Explainable AI (XAI) methods like SHAP or LIME might make the model more trustworthy as it would provide insights into the reasoning behind each prediction. The predictive capability of the model might also be enhanced through the use of more diverse data sources and testing ensemble or hybrid models as investigated in [5] and [7]. Finally, functionalities such as user authentication, an admin panel, and multi-language support would make the system more secure, adaptable, and accessible to different categories of users.

As a whole, these planned developments are meant to take the system to the level of a complete, enterprise-level solution for predictive churn management for the telecommunication sector.

References

- V. Chang, K. Hall, Q. A. Xu, F. O. Amao, M. A. Ganatra, and V. Benson, "Prediction of Customer Churn Behavior in the Telecommunication Industry Using Machine Learning Models," *Algorithms*, vol. 14, no. 12, pp. 1–17, 2021.
- [2] S. W. Foju, S. Subramanian, and M. H. Khdr, "Customer churn predic- tion in telecommunication industry using deep learning," *Information Sciences Letters*, vol. 11, no. 1, pp. 185–198, 2022.
- [3] R. M. Wahul, A. P. Kale, and P. N. Kota, "An ensemble learning approach to enhance customer churn prediction in telecom industry," *International Journal of Intelligent Systems and Applications in Engi- neering*, vol. 11, no. 9, pp. 258– 266, 2023.
- [4] A. S. Thorat and V. R. Sonawane, "Customer churn prediction in the telecommunication industry using deep learning," *Journal of Data Acquisition and Processing*, vol. 38, no. 3, pp. 1417–1425, 2023.
- [5] A. Khattak, Z. Mehak, H. Ahmad, M. U. Asghar, M. Z. Asghar, and A. Khan, "Customer churn prediction using composite deep learning technique," *Scientific Reports*, vol. 13, article no. 17294, 2023.
- [6] S. I. Ele, U. R. Alo, H. F. Nweke, and O. A. Ofem, "Regression- Based Machine Learning Framework for Customer Churn Prediction in Telecommunication Industry," *International Journal of Advanced Computer Science and Applications*, vol. 14, no. 5, 2023.
- [7] L. Saha, H. K. Tripathy, T. Gaber, H. El-Gohary, and E.-S. M. El- kenawy, "Deep Churn Prediction Method for Telecommunication In- dustry," *Electronics*, vol. 12, no. 1, pp. 1–18, 2023.
- [8] A. Y. W. Chong, K. W. Khaw, W. C. Yeong, and W. X. Chuah, "Customer Churn Prediction of Telecom Company Using Machine Learning Algorithms," *IEEE Access*, vol. 11, pp. 10021–10035, 2023.
- [9] T. Zdziebko, P. Sulikowski, W. Sałabun, M. Przybyła-Kasperek, and I. Ba,k, "Optimizing Customer Retention in the Telecom Industry: A Fuzzy-Based Churn Modeling with Usage Data," *Symmetry*, vol. 15, no. 2, pp. 1–21, 2023.
- [10] M. Imani, "Customer Churn Prediction in Telecommunication Industry: A Literature Review," *Information*, vol. 14, no. 4, pp. 1–22, 2023.
- [11] H. Wu, "A High-Performance Customer Churn Prediction System based on Self-Attention," arXiv preprint, Jun. 2022.
- [12] R. Dalian et al., "Highly Accurate Customer Churn Prediction in the Telecommunications Industry Using MLP," Int. J. Integrated Sci. Tech., Oct. 2024.
- [13] A. Sharma, M. Tyagi, and S. Kumar, "Telecom Churn Prediction Using Python," in ICRTC, Jul. 2024.
- [14] **M**. Z. Alotaibi and Μ. Α. "Customer Churn Prediction for Haq, Telecommunication Companies using Machine Learning and Ensemble Methods," ETASR, Jun. 2024.

- [15] J. Huh and W. Lee, "Privacy-Preserving Consumer Churn Prediction in Telecommunication Through Federated Machine Learning," in *Big- Comp 2024*, IEEE, Feb. 2024.
- [16] Ahmed, Rana Hassam, et al. "ENHANCING AUTONOMOUS VEHI- CLE SECURITY THROUGH ADVANCED ARTIFICIAL INTELLI- GENCE TECHNIQUES." (2024).
- [17] Nazir, Talha, Rana Hassam Ahmed, Majid Hussain, and Samraiz Zahid. "Transforming Blood Donation Processes with Blockchain and IoT Integration: A augmented Approach to Secure and Efficient Healthcare Practices." In 2023 International Conference on IT and Industrial Tech- nologies (ICIT), pp. 1-8. IEEE, 2023.
- [18] Hussain, Majid. "Blockchain-Based Supply Chain Management in Healthcare." Al and Blockchain Applications for Privacy and Security in Smart Medical Systems (2025): 107.
- [19] Zahid, Samraiz, et al. "Blockchain-based health insurance model using IPFS: A solution for improved optimization, trustability, and user con- trol." 2023 International Conference on IT and Industrial Technologies (ICIT). IEEE, 2023.